


FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	COMPOSITE
TRACTION / GRIP	COMPOSITE STUDS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	84 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	217 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	490 g
LIGHT INCLUDED / LUMIÈRE INCLUSE	YES (x 2)
LIGHT MODES / MODES LUMINEUX	3 (STEADY / FLASH / FLASH ECO)
BATTERY LIFE / AUTONOMIE	UP TO 30 h (FLASH ECO)
LIGHT OUTPUT / PUISSANCE LUMINEUSE	15 LUMENS
BATTERY / BATTERIE	MICRO USB RECHARGEABLE (CABLE PROVIDED)
CHARGING TIME / TEMPS DE RECHARGE	50 MIN
BEAM ANGLE / FAISCEAU LUMINEUX	180°
UNIT LIGHT WEIGHT / POIDS UNITAIRE LUMIÈRE	14 g




FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	COMPOSITE / ELASTOMER BI INJECTION
TRACTION / GRIP	ELASTOMER BI INJECTION
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	86 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	228 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	511 g




FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	COMPOSITE
TRACTION / GRIP	COMPOSITE STUDS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	84 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	203 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	461 g



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	ALUMINIUM
TRACTION / GRIP	8 TRACTIONS PINS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	83 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	247 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	550 g
LIGHT INCLUDED / LUMIÈRE INCLUSE	YES (x 2)
LIGHT MODES / MODES LUMINEUX	3 (STEADY / FLASH / FLASH ECO)
BATTERY LIFE / AUTONOMIE	UP TO 30 H (FLASH ECO)
LIGHT OUTPUT / PUISSANCE LUMINEUSE	15 LUMENS
BATTERY / BATTERIE	MICRO USB RECHARGEABLE (CABLE PROVIDED)
CHARGING TIME / TEMPS DE RECHARGE	50 MIN
BEAM ANGLE / FAISCEAU LUMINEUX	180°
UNIT LIGHT WEIGHT / POIDS UNITAIRE LUMIÈRE	14 g



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	HYBRID PEDALS = HALF FLAT + HALF CLIPLESS
CLEATS / CALES	EASY
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°
RETENTION / TENSION	5 - 10
BODY / CORPS	ALUMINIUM
TRACTION / GRIP	8 TRACTIONS PINS
SPINDLE / AXE	CHROMOLY +
PLATFORM WIDTH / LARGEUR D'APPUI	83 mm
Q FACTOR	56 mm
WEIGHT (PEDAL) / POIDS (PEDALE)	233 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	521 g